


**Belloaluce**

BEAUTIFUL LIGHTS 4 BEAUTIFUL PEOPLE



**LED  
PANEL LIGHT**



P90 PL-A




P92 PL-S8



P93 PL-U



P94 PL3030



P95 PL-P



P96 PL-AC



P97 PL14519



P98 PL-L



P100 PL-W



P102 DL94



P103 PL6060-S6


## LED Panel Light /Series/

LED panel light is one of the most popular luminaire for commercial lighting, with continuous modification of its design, light efficiency, CRI, UGR and smart function, Upshine Lighting is always capable of providing customers helpful solution and best price, that's the main reason Upshine Lighting is preferred supplier of LED panel lamp in the market. Upshine LED panel family supply different solution for project and distribution, such as regular LED panel with high Lumen and low UGR, CCT changing LED panel, waterproof led panel, frameless led panel, Up/down emitting led panel, big size round led panel with recessed / surface mounted / pendant installation, TUV-CE approved Upshine driver and Lifud, Tridonic, Philips driver ensure our reputation of quality always.





## BL-786PL-A



### ► | Model & Power & Lumen



BL-786PL6060 35W 3955lm  
 BL-786PL30120 35W 3955lm

### ► | Model & Size (AxBxCmm)

BL-786PL6060 595x595x28  
 BL-786PL30120 1195x295x28

### ► | CCT


3000K | 4000K | 5000K | 5700K





SAA RoHS CE

## BL-786PL-S8



### ► | Model & Size

(AxBxCmm)


PL6060	595x595x8
PL6262	620x620x8
PL30120	1195x295x8

### ► | Model & Power & Lumen

BL-786PL6060	33W	3200lm
	42W	4000lm
BL-786PL6262	33W	3100lm
	42W	3900lm
BL-786PL30120	33W	3200lm
	42W	4000lm

### ► | CCT

3000K | 4000K



SAA RoHS CE

## BL-786PL-U



### ► | Model & Power & Lumen

BL-786PL3030	18W	1350lm
BL-786PL30120	45W	3400lm
BL-786PL6060	45W	3400lm

### ► | CCT


3000K | 4000K | 5000K | 5700K

### ► | Model & Size & Cutout

(AxBxCmm)

(mm)

BL-786PL3030	295x295x12	280x280
BL-786PL30120	1195x295x12	1180x280
BL-786PL6060	595x595x12	580x580





SAA RoHS CE

### BL-786PL3030/3060/6060/30120/60120



#### ► | Model & Power & Lumen


BL-786PL3030	18W	1340lm
	36W	2670lm
BL-786PL3060	36W	2670lm
BL-786PL6060	33W	3160lm
	42W	4020lm
BL-786PL6262	33W	3160lm
	42W	4020lm
BL-786PL30120	33W	3160lm
	42W	4020lm
BL-786PL60120	60W	5820lm

#### ► | CCT

3000K | 4000K | 5000K | 5700K

#### ► | Model & Size & Cutout

	(AxBxCmm)	(mm)
BL-786PL3030	295x295x8	280x280
BL-786PL3060	595x295x8	580x280
BL-786PL6060	595x595x8	580x580
BL-786PL6262	620x620x8	605x605
BL-786PL30120	1195x295x8	1180x280
BL-786PL60120	1195x595x8	1180x580



SAA RoHS CE

### BL-786PL-P



#### ► | Model & Power & Lumen


BL-786PL3030	18W	1320lm
BL-786PL3060	36W	2900lm
	36W	2900lm
BL-786PL6060	45W	3950lm
BL-786PL30120	45W	3910lm

#### ► | CCT

3000K | 4000K | 5000K | 5700K


#### ► | Model & Size & Cutout

	(AxBxCmm)	(mm)
BL-786PL3030	295x295x16	280x280
BL-786PL3060	595x295x16	580x280
BL-786PL6060	595x595x16	580x580
BL-786PL30120	1195x295x16	1180x280





## BL-786PL-AC




### ► | Model & Power & Lumen

BL-786PL3030	18W	1650lm
BL-786PL6060	37W	3130lm
BL-786PL6060	45W	3910lm

### ► | Model & Size

(AxBxCmm)

BL-786PL3030	295x295x21
BL-786PL6060	595x595x21



### ► | CCT

3000K | 4000K | 5000K | 5700K



## BL-786PL1219/14519/1819/2019/3019



### ► | Model & Power & Lumen

BL-786PL1219	7W	530lm
BL-786PL14519	7W	550lm
BL-786PL1819	10W	780lm
BL-786PL2019	10W	780lm
BL-786PL2219	15W	1130lm
BL-786PL2419	15W	1180lm
BL-786PL2419	20W	1460lm
BL-786PL3019	20W	1520lm

### ► | Model & Size & Cutout

(AxBmm) (mm)

BL-786PL1219	ø120x21	ø110
BL-786PL14519	ø146x21	ø135
BL-786PL1819	ø173x21.5	ø160
BL-786PL2019	ø200x21	ø190
BL-786PL2219	ø224x21	ø210
BL-786PL2419	ø240x21	ø230
BL-786PL3019	ø300x21	ø285



### ► | CCT

3000K | 4000K | 5000K | 5700K



## BL-786PL-L



### ► | Model & Power & Lumen


BL-786PL6060	45W	3100lm
BL-786PL30120	45W	3100lm
BL-786PL60120	72W	4770lm

### ► | CCT

3000K | 4000K | 5000K | 5700K

### ► | Model & Size (AxBxCmm)

BL-786PL6060	595x595x9.12
BL-786PL30120	1195x295x9.12
BL-786PL60120	1195x595x9.12



### Light Effect

Up 30%




Down 70%





## BL-786PL-W



### ► | Model & Power & Lumen


BL-786PL3012	18W	1560lm
BL-786PL4012	25W	2170lm
	35W	2900lm
BL-786PL5012	30W	2520lm
	35W	2900lm
BL-786PL6012	35W	3040lm
	45W	3600lm


### ► | CCT

3000K | 4000K | 5000K | 5700K

### ► | Model & Size (AxBmm)

BL-786PL3012	ø300x12
BL-786PL4012	ø400x12
BL-786PL5012	ø500x12
BL-786PL6012	ø600x12





## BL-786DL94



### ► | Size & Power & Lumen


3"	7W	610lm
6"	16W	1400lm
8"	20W	1700lm

### ► | CCT

3000K | 4000K | 5000K | 5700K

### ► | Size & Size & Cutout

(Inch)	(AxBmm)	(mm)
3	ø110x30	ø90-95
6	ø190x33	ø160-170
8	ø230x33	ø200-210



## BL-786PL6060/30120-S6



### ► | Model & Power & Lumen


BL-786PL6060	36W	2950lm
	45W	3700lm
BL-786PL30120	36W	2950lm
	45W	3700lm

### ► | CCT

3000K | 4000K | 5000K | 5700K

### ► | Model & Size & Cutout

	(AxBxCmm)	(mm)
BL-786PL6060	595x595x8	580x580
BL-786PL30120	1195x295x8	1180x280




# Panel Light installation accessories



DIY Surface Mounted Frame



Suspending Kits



Surface Mounted Frame



Recessed Installation Clips