



Specifications & Data Sheet

Rev: ver.01.1
Job:
Type:
Product Code: BL-LB-512



DESCRIPTION

Mounting: Surface / Suspended
Luminaire Type: Lowbay
Beam Angle: Wide
Rating: IP67 | IK10

FINISH

Body: Aluminium
Colour/Trim: Grey
Reflector/Diffuser: Built-in

DIMENSIONS

Size: 512 x 340 x 156mm (L x W x H)
Other: n/a

CONTROL

Circuit: Single
Dimming Protocol: Switched / Dimmable
Control Gear: Built-in

LAMP

Manufacturer: OSRAM
Wattage: 160w
Voltage: 240v
Lumen Output: 18000 lm
Colour Temp: 5700K
CRI: >80
Life (hrs): 50,000


ACCESSORIES




* For Terms & Conditions visit www.bellalucelighting.com.au/terms



DIMENSIONS



PHOTOMETRICS



cd/klm
— C0 - C180 — C90 - C270

Specifications & Data Sheet

Rev: ver.02.1
Job:
Type:
Product Code: BL- UFO150



DESCRIPTION

Mounting Suspended
Luminaire Type Highbay
Beam Angle Wide
Rating IP65

FINISH

Body Aluminium
Trim Black
Reflector Built-in
Other

DIMENSIONS

Size $\varnothing 280 \times 185$ mm (D x H)
Mount n/a


CONTROL

Circuit Single
Dimming Protocol Switch
Control Gear Built-in

LAMP

Manufacturer Philips
Wattage 150w
Voltage Lumen 240v
Output Colour 150 lm/w
Temp CRI 6000K
Avg. Life (hrs) >85
>65,000

ACCESSORIES



Specifications & Data Sheet

Rev: ver.01.1
Job:
Type:
Product Code: **BL-HB-786A3150**

DESCRIPTION

Mounting: Suspended
Luminaire Type: Highbay
Beam Angle: Medium
Rating: IP65

FINISH

Body: Aluminium
Colour/Trim: Black
Reflector/Diffuser: Built-in

DIMENSIONS

Size: Ø320 x 175mm (D x H)
Other: n/a


CONTROL

Circuit: Single
Dimming Protocol: Switched
Control Gear: Remote

LAMP

Manufacturer: OSRAM
Wattage: 150w
Voltage: 240v
Lumen Output: 150 Lm/w
Colour Temp: 3000K / 4000K / 6000K
CRI: >80
Avg. Life (hrs): 50000


ACCESSORIES



* For Terms & Conditions visit www.bellalucelighting.com.au/terms

Specifications & Data Sheet

Rev: ver.01.1
Job:
Type:
Product Code: **BL-HB-786A3200**



DESCRIPTION

Mounting: Suspended
Luminaire Type: Highbay
Beam Angle: Medium
Rating: IP65

FINISH

Body: Aluminium
Colour/Trim: Black
Reflector/Diffuser: Built-in

DIMENSIONS

Size: Ø380 x 175mm (D x H)
Other: n/a

CONTROL

Circuit: Single
Dimming Protocol: Switched
Control Gear: Remote

LAMP

Manufacturer: OSRAM
Wattage: 200w
Voltage: 240v
Lumen Output: 150 Lm/w
Colour Temp: 3000K / 4000K / 6000K
CRI: >80
Avg. Life (hrs): 50000

ACCESSORIES

* For Terms & Conditions visit www.bellalucelighting.com.au/terms